

Product datasheet

P S T26 20 2.3 W/827 E14

PARATHOM SPECIAL T26 | Special LED lamps for refrigerators



- - Small designer luminaires- Domestic refrigerators- Sewing machines- Outdoor applications only in suitable luminaires

- - Low energy consumption- Good all-around light emission- Extremely small dimensions
- Product features- Mercury-free lamps
Product benefits- Low energy consumption- Good all-around light emission- Extremely small dimensions
Areas of application- Small designer luminaires- Domestic refrigerators- Sewing machines- Outdoor applications only in suitable luminaires
References / Links
For Guarantee see 'www.ledvance.com/guarantee
For further products and actual information concerning LED lamps see 'www.ledvance.com/ledlamps'



Product datasheet

Technical data

Electrical data

Rated wattage	2.30 W
Nominal wattage	2.30 W
Nominal voltage	220...240 V
Operating frequency	50 Hz
Max. lamp no. on circuit break. 10 A (B)	40
Max. lamp no. on circuit break. 16 A (B)	64
Claimed equiv. conventional lamp power	20 W


Photometrical data

Nominal luminous flux	200 lm
Rated luminous flux	200 lm
Rated color temperature	2700 K
Color rendering index Ra	≥80
Light color (designation)	Warm White
Standard deviation of color matching	≤6 sdc _m
Lumen main.fact.at end of nom.life time	0.70

Light technical data

Starting time	< 0.5 s
---------------	---------

Dimensions & weight



Overall length	63.0 mm
Diameter	25.0 mm
Outer bulb	T26
Length	63.0 mm

Product datasheet

Lifespan

Nominal lamp life time	15000 h
Rated lamp life time	15000 h
Number of switching cycles	100000
Lumen maintenance at end of service life	0.70

Additional product data

Base (standard designation)	E14
Mercury content	0.0 mg
Mercury-free	Yes
Design / version	Frosted
Appropriate disposal acc. to WEEE	Yes
Product remark	All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value

Capabilities

Dimmable	No
----------	----

Certificates & standards

Energy efficiency class	A++
Energy consumption	3 kWh/1000h

Country specific categorizations

ILCOS	DRBT/F-2,2/827-230-E14-26
Order reference	LEDPT2620 2,3W/

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899961289	P S T26 20 2.3 W/827 E14	Shipping carton box 20 Pieces Folding carton box	150 mm x 122 mm x 77 mm	1.41 dm ³	406.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

References / Links

For Guarantee see

- ▶ www.osram.com/guarantee

For further products and actual information concerning LED lamps see

- ▶ www.osram.com/ledlamps

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany