



MASTER VALUE LEDspot MV

MASTER LED spot VLE D 6.2-80W GU10 940 36D

Delivering a warm, halogen-like accent beam, MASTER VALUE LEDspot MV is a perfect for spot lighting. Thanks to its high CRI, it realizes more natural colors, enabling cozy and comfortable ambience for residential, hospitality and emphasize the beauty of merchandise in retail. These LEDspots have the familiar look and feel of glass spots, keeping the classic beauty of glass spots and adding the strong performance from LED technology. The dimming function enables to create the desired atmosphere and it works with broad selection of dimmers.

Product data

General Information		Luminous Flux in 90° Cone (Rated)	
Cap-Base	GU10 [GU10]		575 lm
EU RoHS compliant	Yes	Operating and Electrical	
Nominal Lifetime (Nom)	25000 h	Input Frequency	50 to 60 Hz
Switching Cycle	50000X	Power (Nom)	6.2 W
Technical Type	6.2-80W	Lamp Current (Nom)	33 mA
Light Technical		Wattage Equivalent	80 W
Color Code	940 [CCT of 4000K]	Starting Time (Nom)	0.5 s
Beam Angle (Nom)	36 °	Warm Up Time to 60% Light (Nom)	0.5 s
Luminous Flux (Nom)	575 lm	Power Factor (Nom)	0.88
Luminous Intensity (Nom)	850 cd	Voltage (Nom)	220-240 V
Color Designation	Cool White (CW)	Temperature	
Correlated Color Temperature (Nom)	4000 K	T-Case Maximum (Nom)	80 °C
Luminous Efficacy (rated) (Nom)	92.00 lm/W	Controls and Dimming	
Color Consistency	<6	Dimmable	Yes
Color Rendering Index (Nom)	90		
LLMF At End Of Nominal Lifetime (Nom)	70 %		

MASTER VALUE LEDspot MV

Approval and Application


Energy Efficiency Label (EEL)	A++
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	7 kWh

Product Data

Full product code	871869970523700
Order product name	MASTER LED spot VLE D 6.2-80W GU10 940 36D

EAN/UPC - Product	8718699705237
Order code	929002066002
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929002066002
Net Weight (Piece)	0.040 kg


Dimensional drawing




GU10 7.5-80W 680lm 36D 4000K GU10 15khrs

Product	D	C
MASTER LED spot VLE D 6.2-80W GU10 940 36D	50 mm	54 mm

Photometric data




GU10 7.5-80W 680lm 36D 4000K GU10 15khrs



GU10 7.5-80W 680lm 36D 4000K GU10 15khrs


MASTER VALUE LEDspot MV

Photometric data




GU10 7.5-80W 680lm 36D 4000K GU10 15khrs

Lifetime



GU10 7.5-80W 650lm 2700K GU10 D 15khrs



GU10 7.5-80W 650lm 2700K GU10 D 15khrs

